Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

3-12-1, Minamirokugo, Ota-ku, TOKYO

products registered as of 2025/08/22

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
00121 AF FOR SEA CHEST	Brown	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01424 AF MX-2080	Light Brown, Brown	Self polishing hydrolysis type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2009/07/24 2027/06/21	Japan V Others
01720 AF MX-2121N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/04/19	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01843 AF MX-2150N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2023/12/15	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/12/14	Others \Box
01867 A-F MX-2196N	Light Brown, Dark Brown	Self polishing hydrolysis type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2024/12/17 2027/12/17	Japan ✓ Others
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01876 A-F MX-2263N	Light Brown, Dark Brown	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2025/08/22 2028/08/21	Japan 🗹 Others
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01877 A-F MX-2273N	Light Brown, Dark Brown	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2025/08/22 2028/08/21	Japan 🗹 Others
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01314 CLEAR EXION	Clear	Self polishing hydrolysis type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/12/15 2026/10/26	Japan 🗹 Others
00123 C-RUBAN A/F	Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2027/12/17	Japan 🗹 Others
00128 C-RUBAN A/F for SUBMARINE	Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2027/12/17	Japan 🗹 Others
00129 C-RUBAN B/T for SUBMARINE	Black	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2027/12/17	Japan 🗹 Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01878 EVERCLEAN No.2000	Clear	Biocide-free silicone type			2025/08/22 2028/08/21	Japan ✓ Others
00157 NEWPLADOL for SUBMARINE	Black	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2004/03/18 2027/12/17	Japan 🗹 Others 🗆
01865 SEA GLIDE 80	Light Brown, Dark Brown	Self polishing hydrolysis type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2024/12/17 2027/12/17	Japan ⊻ Others □
01866 SEA GLIDE 96	Light Brown, Dark Brown	Self polishing hydrolysis type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2024/12/17 2027/12/17	Japan ✓ Others
01847 SEA MX-2000BT	White	Self polishing hydrolysis type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2024/02/16 2027/02/15	Japan ⊻ Others □
01306 SHIN LLL No.100	Brown, Red, Dark Brown, Light Brown Chocolat, Rouille, Blue, Brown K	Self polishing hydrolysis , type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2008/12/15 2025/12/12	Japan 🗹 Others 🗌
01728 SHIN LLL PB2	Light Brown, Dark Brown	Self polishing hydrolysis type	12122-67-7 1317-39-1 14915-37-8	Zinc ethylenebis (dithiocarbamate) Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2019/10/18 2028/04/17	Japan 💆 Others 🗌
01832 TAKARABUNE Type2	Red, Blue, Black, White, Green	Self polishing hydrolysis type	13463-41-7 64359-81-5	Zinc-2-pyridinethiol-1-oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2023/02/17 2026/02/16	Japan 🗹 Others
01311 TAKATA A/F for SUBMARINE	Black	Ablative type	1317-39-1	Cuprous oxide	2008/12/15 2026/10/26	Japan 🗹 Others
01297 TAKATA QUANTUM	MOL Green, Luminous Blue, Blue	Self polishing hydrolysis e type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2008/12/15 2026/10/26	Japan 🗹 Others
00401 TAKATA QUANTUM CLASSIC	Light Brown, Dark Brown, Dark Red, Light Red, Blue	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2004/12/22 2025/12/12	Japan V Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufac in	
01704 TAKATA QUANTUM CLASSIC	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2018/08/24	Japan	✓
(R)	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others	
01828 TAKATA QUANTUM EV	Brown	Self polishing hydrolysis t	1317-39-1	Cuprous oxide	2022/12/13	Japan	V
		уре	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others	
00403 TAKATA QUANTUM FB	Light Brown, Dark Brown, Light Red, Dark Red	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2004/12/22 2025/12/12	Japan Others	
01716 TAKATA QUANTUM FB	Ligth Brown N, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/02/08	Japan	V
on to madification b	Brown N, Light	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/12/17	Others	
	Brown L, Dark Brown L						
01729 TAKATA QUANTUM FB(M)	Light Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2019/10/18 2028/04/17	Japan	V
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		Others	
01427 TAKATA QUANTUM FB(R)	Light Brown, Dark Brown, Light Red, Dark Red	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2009/07/24 2025/12/12	Japan Others	
01717 TAKATA QUANTUM FB(R)	Ligth Brown N, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/02/08	Japan	✓
()	Brown N, Light Brown L, Dark Brown L	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/12/17	Others	
01709 TAKATA QUANTUM FOCUS I	Light Brown, Dark	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2018/12/07	Japan	✓
	Brown, Light Red, Dark Red		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/12/17	Others	
00146 TAKATA QUANTUM for	Brown, Red, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan	✓
	Brown, Light Brown, Blue, Green, Brown S, Dark Brown S	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others	
01662 TAKATA QUANTUM for	Brown, Dark Brown,	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/02/24	Japan	~
COASTAL VESSEL V	Red, Black, Brown S, Dark Brown S		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system.

*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
00145 TAKATA QUANTUM for	Brown, Red, Dark	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
FISHING VESSEL	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/12/17	Others
01855 TAKATA QUANTUM G1000	Brown	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2024/06/21	Japan 💆
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/06/21	Others \square
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01856 TAKATA QUANTUM G2000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/06/21	Japan 💆
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others \square
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01857 TAKATA QUANTUM G3000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/06/21	Japan 💆
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others \square
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01815 TAKATA QUANTUM GX-2200N	Brown, Dark Brow	n Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2022/04/18	Japan 💆
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/02/21	Others \square
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
00385 TAKATA QUANTUM LLL	Light Brown, Dark Brown, Brown, Da		1317-39-1	Cuprous oxide	2004/12/22	Japan 💆
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others \square
01315 TAKATA QUANTUM LLL FB	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2008/12/15	Japan 💆
	Brown, Light Red, Dark Red, Brown,	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others \square
	Light					
01818 TAKATA QUANTUM MX-2145N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
00143 TAKATA QUANTUM ND	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01819 TAKATA QUANTUM ND	Brown G	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/04/18	Japan 💆
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

^{*}Product name case is typed as on the application form.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
00402 TAKATA QUANTUM PLUS	Light Brown, Dark		1317-39-1	Cuprous oxide	2004/12/22	Japan 🗹
	Brown, Blue, Red, Light Red, Dark Red	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others \square
01426 TAKATA QUANTUM PLUS(R)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2009/07/24	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
01862 TAKATA QUANTUM PLUS(R)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/10/18	Japan 💆
ADVANCE	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/10/18	Others \square
01705 TAKATA QUANTUM R5000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2018/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/06/21	Others \square
01706 TAKATA QUANTUM R8000	Brown, Dark Brown	n Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2018/10/26 2027/06/21	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-		Others \square
00400 TAKATA QUANTUM ULTRA	Light Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2004/12/22 2025/12/12	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		Others \square
01669 TAKATA QUANTUM X-mile 000	Brick, Maroon	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2017/06/16 2026/06/15	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
01670 TAKATA QUANTUM X-mile 000	Brick, Maroon	roon Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2017/06/16 2026/06/15	Japan 🗹
FB 			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		Others \square
01491 TAKATA QUANTUM X-mile 001	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others \square
01492 TAKATA QUANTUM X-mile 002	Brick, Maroon, Blue	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others \square
01493 TAKATA QUANTUM X-mile 003	Brick, Maroon, Brick	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03 2026/04/20	Japan 🗹
	R. Maroon R	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2020/04/20	
01494 TAKATA QUANTUM X-mile 005	Brick, Maroon, Brick S, Maroon S	ck Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2011/06/03 2026/10/26	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-		Others \Box
01495 TAKATA QUANTUM X-mile 006	Brick, Maroon, Blue,		1317-39-1	Cuprous oxide	2011/06/03 2027/12/17	Japan ⊻ Others □
	Brick S, Maroon S	type	14915-37-8	37-8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/12/11	Others \Box

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

^{*}Product name case is typed as on the application form.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system.

*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufactured in
01496 TAKATA QUANTUM X-mile 007	Brick, Maroon, Brick	Brick Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2011/06/03	Japan 🗹
	S, Maroon S		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
01708 TAKATA QUANTUM X-mile EV	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2018/12/07	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01666 TAKATA QUANTUM X-mile FB	Brick, Maroon, Brick	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/06/16	Japan 💆
	R, Maroon R	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others \square
01806 TAKATA QUANTUM X-mile MX-	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2021/12/03	Japan 🗹
2046N		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others \square
01665 TAKATA QUANTUM X-mile ND	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/06/16	Japan 💆
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others \square
01714 X-mile EV	Brick, Maroon	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2019/02/08	Japan 💆
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01715 X-mile EV FB	Brick, Maroon	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2019/02/08	Japan 💆
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01630 X-mile Premium 101	Brick, Maroon	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2016/04/22	Japan 💆
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others \square
01631 X-mile Premium 102	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2016/04/22	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others \square
01633 X-mile Premium 105	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2016/04/22	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01634 X-mile Premium 106	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2016/04/22	Japan 💆
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01635 X-mile Premium 107	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2016/04/22 2027/12/17	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		Others \square
01636 X-mile Premium 108	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2016/04/22	Japan 💆
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01707 X-mile Premium FB	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato	O,S)-	2018/10/26 2027/06/21	Japan 🗹 Others
01804 X-mile Premium ND	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato	O,S)-	2021/12/03 2027/06/21	Japan 🗹 Others
01805 X-mile Premium ND	Brick K, Maroon K	Self polishing hydrolysis type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	O,S)-	2021/12/03 2027/06/21	Japan V Others