Name of Manufacturer: AKZO NOBEL COATINGS K.K. INTERNATIONAL PAINT DIV.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

5F, Haubiru Nishi-Shimbashi, 2-35-2, Nishi-Shimbashi, Minato-ku TOKYO

products registered as of 2025/08/22

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Date	ites of:	Registration Expiry	Manufactured in
01384 Intersmooth 7465HS SPC	BEA774-Brown, BEA777-Red	Self Polishing Copolymer	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2009/07/24 2027/12/17	Japan ☐ Others ✔
01858 Intersmooth 7475Si SPC	Brown (BEA844), Red (BEA847)	Self Polishing Copolymer	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2024/08/23 2027/08/23	Japan ☐ Others ✔
01482 Interspeed 6400	BQA644-Red, BQA648-Brown	Conventional	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2011/03/24 2027/06/21	Japan ☐ Others ✔

Name of Manufacturer: BASSERU CHEMICAL CO., LTD.

6-10-6, Hikoshima-Honmura-cho, Shimonoseki-shi, YAMAGUCHI

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

products registered as of 2025/08/22

Reg.No. Name	of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
00433 HR AF		Red	Conventional type	1317-39-1	Cuprous oxide		2005/03/11 2028/08/21	Japan ✓ Others
00435 HR AF S0	С	Red	Ablative type	1317-39-1 330-54-1 64359-81-5	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2005/03/11 2028/08/21	Japan <u>✔</u> Others
00436 HR AF SI	Р	Redbrown	Self polishing type	1317-39-1 13463-41-7	Cuprous oxide Zinc-2-pyridinethiol-1-oxide		2005/03/11 2028/08/21	Japan ✓ Others
00440 SEASTO	RY MARINECHAN	Red, Blue	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato C),S)-	2005/03/11 2028/08/21	Japan ✓ Others
00441 SEASTO	RY SAM	Red, Blue, Black	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato C),S)-	2005/03/11 2028/08/21	Japan <u>✓</u> Others

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

16F, Toranomon Hills Station Tower, 2-6-1, Toranomon, Minato-ku, TOKYO

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

products registered as of 2025/08/22

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	Registration Expiry	Manufac in	
01523 APPARE	Blue H, Red H, Black	Self polishing type	1317-39-1	Cuprous oxide	2012/01/27	Japan	~
	H, Light Red H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others	
01211 CMP BIOCLEAN HB	Light Grey, Red	Biocide-free silicon type	_	-	2007/05/28	Japan	V
	Brown, Light Grey S, Red Brown S, Black S, Dark Blue S				2028/08/21	Others	V
01746 CMP BIOCLEAN N	Light Grey	Biocide-free silicon type			2020/07/29	Japan	✓
	g,				2026/06/15	Others	
01577 CMP BIOCLEAN PLUS	Black, Red Brown,	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/02/14	Japan	✓
	Red Brown A	· ·			2027/12/17	Others	✓
01643 CMP BIOCLEAN PLUS	Red Brown S	Foul Relase Coatings	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2016/08/26	Japan	~
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/02/21	Others	✓
01213 CMP BIOCLEAN R	Light Grey, Red	Biocide-free silicon type	_	-	2007/05/28	Japan	V
	Brown, Black, Off White, Ruby Red				2028/04/17	Others	~
01678 CMP BIOCLEAN R PLUS	Red Brown, Plum	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/11/02	Japan	V
		_			2026/08/17	Others	✓
01484 CMP BIOCLEAN RS	Black	Biocide-free silicon type	_	-	2011/02/04	Japan	~
					2028/04/17	Others	Ш
01365 MARINE STAR 30G	Green I, Blue I, Red	Self polishing type	1317-39-1	Cuprous oxide	2009/04/03	Japan	✓
	Brown I, Silver White I, Red I, Green V,		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2027/02/15	Others	
Red V, Blu	Red V, Blue V, Silver White V		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01597 MARINE STAR A	White I, Blue I, Red	Solf poliching type	1111-67-7	Communication of the second of	2015/02/20	Japan	V
01397 WANINE STANA	Brown I, Green I,	1 0 31	13463-41-7	Cuprous Thiocyanate Zinc-2-pyridinethiol-1-oxide	2026/10/26	Others	
	Red I, Black I		64359-81-5	4.5-Dichloro-2-n-octyl-4-isothiazolin-3-one		•	
			04339-01-3	4,0 Dichioro-2-fi-octyl-4-isotniazonii-3-ofie			

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

This list was updated as of 2025/08/22

^{*}Product name case is typed as on the application form.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufactured in
01519 NEW KAIO	Red H, Light Red H,	Self polishing type	1317-39-1	Cuprous oxide	2012/01/27	Japan 🗹
	Blue H, Black H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others \square
01522 NEW KAIO 200	Light Red, Red Brown	Self polishing type	1317-39-1	Cuprous oxide	2012/01/27	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others \square
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01671 NEW KAIO 300	Red, Blue, Black	Self polishing type	1317-39-1	Cuprous oxide	2017/06/16	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others \square
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
00277 NEW KAMOME	Blue, Red	Conventional type	1317-39-1	Cuprous oxide	2004/05/21	Japan 🗹
	·	• •		·	2028/06/05	Others
01592 NEW MARINE GOLD	White III, Blue III,	Self polishing type	1111-67-7	Cuprous Thiocyanate	2014/10/29	Japan 🗹
	Red Brown III, Green III, Red III, Black III		13463-41-7	Zinc-2-pyridinethiol-1-oxide	2026/10/26	Others \Box
	III, Red III, black III		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01564 NEW MARINE GOLD DX ALPHA	Red, Blue, Black	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-	2013/08/22	Japan 🗹
				pyrrole-3-carbonitrile	2028/06/05	Others $lacksquare$
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
00288 NEW MARINE GOLD DX CLEAR	Clear	Self polishing type	_	-	2004/05/21	Japan 🗹
					2027/06/21	Others \square
01769 NEW MARINE GOLD DX PLUS	White, Blue, Green,	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2021/03/04	Japan 🗹
	Red, Black		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2027/02/15	Others \square
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01696 NEW PELLER CLEAN PLUS FINISH	Yellow Brown	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/02/16 2026/10/26	Japan 🗹 Others
01725 NEW PELLER CLEAN PLUS FINISH R	Yellow	Biocide-free silicon type			2019/04/19 2027/12/17	Japan ✓ Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufac in	
01620 SCREW AF COASTAL	Yellow Brown	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato	O,S)-	2015/08/21 2027/06/21	Japan Others	
00206 SEA GRANDPRIX 1000	Red, Light Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato	O,S)-	2004/06/21 2026/06/15	Japan Others	✓
01463 SEA GRANDPRIX 1000 L	Light Brown, Brown, Blue, Brown K, Light Brown K Brown H, Light Brown H, Blue H	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato	O,S)-	2010/06/04 2027/12/17	Japan Others	✓
01255 SEA GRANDPRIX 200 R	Red, Light Red, Ogi Colour	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	O,S)-	2008/01/30 2027/06/21	Japan Others	
01616 SEA GRANDPRIX 2000 A	Light Red, Red, Purple, Blue, Black (1st coat), Black (2nd coat), Light Red N, Red N, Red K, Light Red K, Blue K, Red H, Light Red H, Blue H, Light Brown H, Light Brown R, Red R	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato	O,S)-	2015/06/19 2027/12/17	Japan Others	V
01254 SEA GRANDPRIX 2000 S	Light Red, Red	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	O,S)-	2008/01/30 2028/02/21	Japan Others	
01432 SEA GRANDPRIX 220 HS	Brown S, Light Brown S, Black S	Self polishing type	1317-39-1	Cuprous oxide		2009/11/20 2028/08/21	Japan Others	V
01784 SEA GRANDPRIX 2200	Light Brown, Red, Blue, Black	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato	O,S)-	2021/04/21 2026/04/20	Japan Others	✓
01320 SEA GRANDPRIX 500 HS	Red, Light Red, Purple, Red N, Light Red N	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato	0,8)-	2008/11/27 2027/08/23	Japan Others	✓

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01321 SEA GRANDPRIX 500 M HS	Red, Light Red, Light Red N, Red N	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/11/27 2028/06/05	Japan ✓ Others ✓
01329 SEA GRANDPRIX 660 HS	Brown, Light Brown, Brown S, Light Brown S, Black S	Self polishing type	1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2009/01/20 2028/08/21	Japan ✓ Others ✓
01702 SEA GRANDPRIX 770 HS	Brown, Light Brown	Self polishing type	1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2018/06/15 2027/06/21	Japan ✓ Others ✓
01745 SEA GRANDPRIX 800 EX	Brown, Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2020/07/29 2027/06/21	Japan V Others
01625 SEA GRANDPRIX 880 HS	Light Brown, Brown	Self polishing type	1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2015/12/18 2028/06/05	Japan V Others
01759 SEA GRANDPRIX 880 HS PLUS	Brown, Light Brown, Brown A, Light Brown A	Self polishing type	1317-39-1 64359-81-5 86347-14-0	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2028/08/21	Japan V Others
01699 SEA GRANDPRIX 900 L	Brown, Light Brown	Self polishing type	1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2018/06/15 2027/06/21	Japan V Others
01698 SEA GRANDPRIX 950 L	Brown, Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2018/06/15 2027/06/21	Japan ✓ Others ✓
01763 SEA GRANDPRIX CF-10 A	Blue N	Self polishing type	13463-41-7 86347-14-0	Zinc-2-pyridinethiol-1-oxide 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2028/06/05	Japan V Others
01764 SEA GRANDPRIX CF-10 L A	Light Red N, Red N	Self polishing type	14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2028/06/05	Japan V Others
01768 SEA GRANDPRIX FBX PLUS	White II	Self polishing type	64359-81-5 86347-14-0	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2027/02/15	Japan V Others
00291 SEA GRANDPRIX FRP	Light Red H	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2004/05/21 2027/06/21	Japan ✓ Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Гуре of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufactured in
01552 SEA PREMIER 1000	Red, Light Red, Blue	e Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2013/06/18 2028/02/21	Japan 🗹 Others 🗹
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01762 SEA PREMIER 1000 PLUS	Red N, Purple N,	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/03/04	Japan 💆
	Blue N, Green		86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2027/02/15	Others \square
01761 SEA PREMIER 1000 PLUS H	Light Red, Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2021/03/04 2027/02/15	Japan ✓ Others □
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01833 SEA PREMIER 1000 PLUS Z	Red, Light Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2023/02/17 2026/02/16	Japan 🗹 Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		'
01861 SEA PREMIER 200 PLUS	Red, Light Red	Self polishing type	1317-39-1	Cuprous oxide	2024/08/23 2027/08/23	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/00/23	Others —
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01785 SEA PREMIER 2000 PLUS	Brown, Red, Red R,	Self polishing type	1317-39-1	Cuprous oxide	2021/04/21	Japan 🗸
	Brown R		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/02/15	Others \square
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01796 SEA PREMIER 3000	Red, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide	2021/10/15	Japan 💆
	Black, Blue		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2026/12/14	Others \square
01772 SEA PREMIER 3000 PLUS 1	Light Brown, Red,	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
	Blue		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2026/04/20	Others \square
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01773 SEA PREMIER 3000 PLUS 2	Light Brown, Red,	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
	Black		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/04/20	Others \square
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01462 SEA PREMIER 850	Red, Light Red	Self polishing type	1317-39-1	Cuprous oxide	2010/06/04	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others \square

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01674 SEA PREMIER CF Z	Light Red, Red	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2017/08/25 2026/06/15	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01591 SEAFLO NEO 500 Z	Red, Light Red,	Self polishing type	1317-39-1	Cuprous oxide	2014/08/22	Japan 🗹
	Brown, Light Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others 🗹
01766 SEAFLO NEO CF PREMIUM	Light Red, Red, Light	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/03/04 2028/06/05	Japan ✓ Others ✓
	Red S, Red S, Light Red R, Red R		86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2026/00/03	Others 🖭
01788 SEAFLO NEO CF PREMIUM EX	Light Red R, Red R	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2021/07/06 2028/06/05	Japan ✓ Others ✓
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01626 SEAFLO NEO CF Z	Red, Light Red	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2015/12/18 2027/08/23	Japan ✓ Others ✓
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01822 SEAFLO NEO CF Z	Light Red A, Red A	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2022/06/17 2028/04/17	Japan ✓ Others ✓
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-		
01830 SEAFLO NEO CF Z SUPER	Red A	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2022/12/13 2025/12/12	Japan ⊻ Others □
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01776 SEAFLO NEO M1 PLUS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2028/06/05	Others <a>V
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01812 SEAFLO NEO SL M	Brown, Light Brown	Self polishing type	1317-39-1	Cuprous oxide	2022/02/18	Japan 💆
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others <a>V

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01579 SEAFLO NEO SL Z	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide	2014/02/14	Japan 🗸
	Brown K, Light Brown K, Brown H, Light		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others 🗹
	Brown H, Blue					
01770 SEAFLO NEO SL Z PLUS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others <a>V
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01875 SEAFLO NEO SL ZX	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2025/04/18	Japan 🛂
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others 🗸
01827 SEAFLO NEO SNF-S	Brown H, Light	Self polishing type	1317-39-1	Cuprous oxide	2022/10/21	Japan 🗹
	Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/08/21	Others \square
01629 SEAFLO NEO Z	Red N2, Light Red N2	Self polishing type	1317-39-1	Cuprous oxide	2016/02/18	Japan 🛂
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others 🗸
01760 SEAFLO NEO Z PLUS	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01771 SEAFLO NEO-S PREMIUM	Brown D	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🛂
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others <a>V
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01580 SEAFLO NEO-S Z	Red, Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2014/02/14	Japan 🛂
	N, Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others <a>V
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01360 SEAJET 033	Shark White I, Blue I,	Self polishing type	1317-39-1	Cuprous oxide	2009/04/03 2026/10/26	Japan 🗹
	Red I, Black I		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	s of: Registration Expiry	Manufac in	
01789 SEAJET 033 PREMIUM	Blue I, Black I, Shark	Self polishing type	1317-39-1	Cuprous oxide	2021/07/06	Japan	
	White I, Red I		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2028/02/21	Others	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
	Pure White, Pure	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2021/03/04	Japan	
	Black, Pure Red, Pure Blue		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2027/02/15	Others	
	Pure Blue		86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01585 SEAJET 039	Ash Black H, Ash	Self polishing type	1317-39-1	Cuprous oxide	2014/04/11	Japan	✓
5.000 SENSEN 500	Blue H, Ash Grey H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others	
01586 SEAJET 039	Ash Grey	Self polishing type	1317-39-1	Cuprous oxide	2014/04/11	Japan	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/08/21	Others	Ш
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01487 SEATENDER 20	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide	2011/03/24	Japan	
	Black, Blue		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2025/12/12	Others	✓
01486 SEATENDER 7	Red Brown	Conventional type	1317-39-1	Cuprous oxide	2011/03/24	Japan	
					2025/12/12	Others	✓
01813 TFA-10A	Red, Light Red, Black	Self polishing type	1317-39-1	Cuprous oxide	2022/02/18	Japan	
					2027/12/17	Others	✓
01578 TFA-30	Silver White, Black,	Self polishing type	1317-39-1	Cuprous oxide	2014/02/14	Japan	
Red, Blue	Red, Blue	, 1 3 31	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2028/06/05	Others	✓
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
00263 VINYL AF	Red Brown	Conventional type	1317-39-1	Cuprous oxide	2004/05/21	Japan	V
					2027/08/23	Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: HEMPEL A/S

Lundtoftegaardsvej 90, Kongens Lyngby, Denmark

products registered as of 2025/08/22

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	Registration	Manufac	tured
Reg.No. Name of anti-fouring system	20.04.(0)	ype of anti-louning system	CAS NO.	Chemical name (IUPAC) Dates o	Expiry	in	
01851 Hempablue 87750	19990, 59151	Biocide free, fouling release type	_	-	2024/02/16 2027/12/17	Japan Others	✓
01863 Hempaguard NB, 89970	19990	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2024/12/17 2027/12/17	Japan Others	✓
01581 Hempaguard X5 89700	19740, 59161	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/04/11 2027/12/17	Japan Others	✓
01582 Hempaguard X7 89900	19740, 19744, 59161, 59164	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/04/11 2027/12/17	Japan Others	✓
01736 Hempaguard X8 89940	19740, 59161	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2020/02/21 2027/12/17	Japan Others	✓
01864 Hempaguard XL, 88710	59151	Biocide free, fouling release			2024/12/17 2027/12/17	Japan Others	✓
01627 Hempasil X3+ 87500	15150, 19990, 30170, 47560, 59151	Biocide free, fouling release type	_	-	2016/04/22 2027/12/17	Japan Others	✓
01712 Hempel's Antifouling Dynamic 9000 79900	19900, 51110, 60600	Hydrolysing silyl acrylate type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/12/07 2027/12/17	Japan Others	✓
01713 Hempel's Antifouling Dynamic 9000 79950	51110, 60600	Hydrolysing silyl acrylate type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/12/07 2027/02/15	Japan Others	✓
01686 Hempel's Antifouling Globic 6000 75952	19990, 51110, 60600	Self-polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/02/16 2027/02/15	Japan Others	✓
01547 HEMPEL'S ANTIFOULING GLOBIC 6000, 75950	19990, 51110, 60600	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2013/02/15 2027/12/17	Japan Others	✓

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: HEMPEL A/S

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01734 Hempel's Antifouling Globic	19990, 51110, 60600	Hydrolysing SPC type	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2020/02/21	Japan
7000 78350			1317-39-1	Cuprous oxide	2027/12/17	Others <
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
01595 HEMPEL'S ANTIFOULING	19990, 40640,	Hydrolysing SPC	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2015/02/20	Japan
GLOBIC 8000 78550	51110, 60600		1317-39-1	Cuprous oxide	2027/12/17	Others 🔽
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
01687 Hempel's Antifouling Globic	19990, 30170,	Self-polishing type	1317-39-1	Cuprous oxide	2018/02/16	Japan
9000 78902	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹
01688 Hempel's Antifouling Globic	19990, 30170,	Self-polishing type	1317-39-1	Cuprous oxide	2018/02/16	Japan
9000 78952	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗸
01548 HEMPEL'S ANTIFOULING	19990, 30170,	Self polishing type	1317-39-1	Cuprous oxide	2013/02/15	Japan
GLOBIC 9000, 78900	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others 🗹
01549 HEMPEL'S ANTIFOULING	19990, 19994,30170, 51110, 51114, 60600, 60604	Self polishing type	1317-39-1	Cuprous oxide	2013/02/15	Japan
GLOBIC 9000, 78950			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others 🗸
01672 HEMPEL'S ANTIFOULING	19990, 30170,	D, Hydrolyzing NAT	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2017/06/16	Japan
GLOBIC 9500 M 78954	51110, 60600	,	1317-39-1	Cuprous oxide	2027/12/17	Others 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-		
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01682 Hempel's Antifouling Globic	19990, 37030,	Hydrolysing SPC	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2018/02/16	Japan
9500N 7895N	51110, 60600	, , , ,	1317-39-1	Cuprous oxide	2027/12/17	Others 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-		
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01757 Hempels' Antifouling Globic	19990, 51110, 60600	Hydrolysing NAT	1317-39-1	Cuprous oxide	2021/03/04	Japan
9500S 7895S	, , , , , , , , , , , , , , , , , , , ,		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/02/15	Others 🔽
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

This list was updated as of 2025/08/22

^{*}Product name case is typed as on the application form.

Name of Manufacturer: HEMPEL A/S

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No	. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
	Hempel's Antifouling Oceanic Flex+ 7390W	19990, 30170, 42650, 551110, 60600	Hydrolysing SPC type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan ☐ Others ✔
	Hempel's Antifouling Oceanic Protect+ 7395W	19990, 30170, 51110, 60600	Hydrolysing SPC type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan ☐ Others ✓
	Hempel's Antifouling Oceanic+ 73902	19990, 30170, 42650, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2018/12/07 2027/12/17	Japan ☐ Others ✓
	Hempel's Antifouling Oceanic+ 73952	19990, 30170, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2018/12/07 2027/12/17	Japan ☐ Others ✓
	Hempels' Antifouling Olympic Flex+ 7290W	19990, 30170, 51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan ☐ Others ✔
	Hempel's Antifouling Olympic Protect 7195W	51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan ☐ Others ✔
	Hempel's Antifouling Olympic Protect+ 7295W	19990, 30170, 51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan ☐ Others ✓
	HEMPEL'S ANTIFOULING OLYMPIC+, 72900	19990, 30170, 43890, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2013/02/15 2027/12/17	Japan ☐ Others ✓
	HEMPEL'S ANTIFOULING OLYMPIC+, 72950	19990, 30170, 43890, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2013/02/15 2027/12/17	Japan ☐ Others ✔
	Hempel's Antifouling Sonic 79970	19990, 30170, 51110, 60600	Hydrolysing SA type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S	5)-	2023/02/17 2027/12/17	Japan ☐ Others ✓

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: ISHIKAWA PAINT CO., LTD.

4-18-31, Kashima, Yodogawa-ku, Osaka-shi, OSAKA

16 products registered as of 2025/08/22

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufac in	
00337 CLEANCOAT	Reddish Brown, Red,	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan	~
	Blue	type	1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile	2028/06/05	Others	
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea			
00338 CLEANCOAT	White	Self-polishing hydration type	1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile	2004/10/26 2025/04/17	Japan Others	✓
		туре	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2020/ 01/ 17	Officia	
00340 CLEANCOAT A/F HP	Red, Blue, Brown	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan	~
		type	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2025/04/17	Others	
00339 CLEANCOAT SUPER A/F	Light Brown	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan	V
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others	
00342 NEWSEARON	Red, Blue, Green,	Self-polishing hydrolysys	13108-52-6	2,3,5,6-Tetrachloro-4-(methylsulphonyl)pyridine	2005/02/17	Japan	
	Black	type	1317-39-1	Cuprous oxide	2025/04/17	Others	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-			
00344 NEWSEARON 1000 A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan	V
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others	
00345 NEWSEARON 2000 A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan	~
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others	
00346 NEWSEARON 2000A A/F	Brown, Dark Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan	~
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2028/06/05	Others	
00347 NEWSEARON 3000 A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan	~
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others	
00343 NEWSEARON F	Red	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan	~
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2028/06/05	Others	
00349 NEWSEARON SEACHEST A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan	~
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

^{*}Product name case is typed as on the application form.

Name of Manufacturer: ISHIKAWA PAINT CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
00355 POISON	Reddish brown	Self-polishing type	1317-39-1	Cuprous oxide		2004/10/26 2028/06/05	Japan V Others
00356 RABACOAT A/F C	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2028/06/05	Japan 💆 Others
00353 VINIHARD A/F	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2028/06/05	Japan 💆 Others
00354 VINIHARD A/F #1000	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2028/06/05	Japan 🗹 Others
00352 VINYCRON A/F	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2028/06/05	Japan 🗹 Others

Name of Manufacturer: KANAE PAINT CO., LTD.

1-6-13, Hanaten-Higashi, Tsurumi-ku, Osaka-shi, OSAKA

products registered as of 2025/08/22

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufact in	
00062 CLEAN TOP DELUXE	Clear	Biocide-free silicon type	_	-	2004/03/18 2027/12/17	Japan Others	
01859 KANAE PORT A/F #5000 TA-11	Red, AutumnRed, Brown, Blue, Black	Self-polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2024/08/23 2027/08/23	Japan Others	
01574 KANAE PORT A/F #5000msKAI	Red N, Brown N	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2014/02/14 2026/02/16	Japan Others	
01573 KANAE PORT A/F #7000B KAI	Red N, Brown N, 808Blue N	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2014/02/14 2026/02/16	Japan Others	
01748 KANAE PORT A/F CLEAN #2000 HD	Redbrown N	Ablative type	1317-39-1 330-54-1 64359-81-5	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2020/07/29 2026/06/15	Japan Others	
01749 KANAE PORT A/F CLEAN #4000	Redbrown N	Ablative type	1317-39-1 330-54-1 64359-81-5	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2020/07/29 2026/06/15	Japan Others	
01750 KANAE PORT A/F CLEAN #5000 M	White N	Self polishing type	64359-81-5 971-66-4	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one Pyridine-triphenylborane	2020/07/29 2026/06/15	Japan Others	
00014 KANAE PORT A/F CLEAN #5000 N-10	Red,Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2004/03/18 2027/12/17	Japan Others	
00003 KR-A/F N	Brown, D Brown	Conventional type	1317-39-1	Cuprous oxide	2004/03/18 2027/08/23	Japan Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KANAE PAINT CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01860 RE;OCEAN ZERO	Red, AutumnRed, Brown, 808Blue	Self-polishing type	1317-39-1 14915-37-8 330-54-1	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	D,S)-	2024/08/23 2027/08/23	Japan ✓ Others

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

3-12-1, Minamirokugo, Ota-ku, TOKYO

71 products registered as of 2025/08/22

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufac in	
00121 AF FOR SEA CHEST	Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan	
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others	
01424 AF MX-2080	Light Brown, Brown	Self polishing hydrolysis type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2009/07/24 2027/06/21	Japan Others	
01720 AF MX-2121N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/04/19	Japan	
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others	
01843 AF MX-2150N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2023/12/15	Japan	~
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/12/14	Others	
01867 A-F MX-2196N	Light Brown, Dark Brown	Self polishing hydrolysis type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2024/12/17 2027/12/17	Japan Others	
			13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01876 A-F MX-2263N	Light Brown, Dark Brown	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2025/08/22 2028/08/21	Japan Others	
			13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01877 A-F MX-2273N	Light Brown, Dark Brown	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2025/08/22 2028/08/21	Japan Others	✓
			13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01314 CLEAR EXION	Clear	Self polishing hydrolysis type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/12/15 2026/10/26	Japan Others	
00123 C-RUBAN A/F	Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18	Japan	✓
					2027/12/17	Others	
00128 C-RUBAN A/F for SUBMARINE	Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2027/12/17	Japan Others	
00129 C-RUBAN B/T for SUBMARINE	Black	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2027/12/17	Japan Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

^{*}Product name case is typed as on the application form.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of:	Registration Expiry	Manufactured in
01878 EVERCLEAN No.2000	Clear	Biocide-free silicone type			2025/08/22 2028/08/21	Japan Others
00157 NEWPLADOL for SUBMARINE	Black	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2004/03/18 2027/12/17	Japan V Others
01865 SEA GLIDE 80	Light Brown, Dark Brown	Self polishing hydrolysis type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2024/12/17 2027/12/17	Japan de Others
01866 SEA GLIDE 96	Light Brown, Dark Brown	Self polishing hydrolysis type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2024/12/17 2027/12/17	Japan ✓ Others
01847 SEA MX-2000BT	White	Self polishing hydrolysis type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2024/02/16 2027/02/15	Japan ✓ Others
01306 SHIN LLL No.100	Brown, Red, Dark Brown, Light Brown Chocolat, Rouille, Blue, Brown K	Self polishing hydrolysis , type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/12/15 2025/12/12	Japan 🗹 Others 🗌
01728 SHIN LLL PB2	Light Brown, Dark Brown	Self polishing hydrolysis type	12122-67-7 1317-39-1 14915-37-8	Zinc ethylenebis (dithiocarbamate) Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2019/10/18 2028/04/17	Japan ⊻ Others □
01832 TAKARABUNE Type2	Red, Blue, Black, White, Green	Self polishing hydrolysis type	13463-41-7 64359-81-5	Zinc-2-pyridinethiol-1-oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2023/02/17 2026/02/16	Japan ✓ Others
01311 TAKATA A/F for SUBMARINE	Black	Ablative type	1317-39-1	Cuprous oxide	2008/12/15 2026/10/26	Japan V Others
01297 TAKATA QUANTUM	MOL Green, Luminous Blue, Blu	Self polishing hydrolysis e type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/12/15 2026/10/26	Japan V Others
00401 TAKATA QUANTUM CLASSIC	Light Brown, Dark Brown, Dark Red, Light Red, Blue	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/12/22 2025/12/12	Japan V Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

New Note	Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
14915-37-8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)- 2022/12/13 Japan 2025/12/12 Others		_ •		1317-39-1	Cuprous oxide		Japan 🗹
Supple S	(R)	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others \square
Dark Red Dark Dark Dark Dark Deprending Dark Dark Deprending Dark Deprending Dark Deprending Dark Deprend	01828 TAKATA QUANTUM EV	Brown	Self polishing hydrolysis t	1317-39-1	Cuprous oxide		Japan 🗹
Brown, Light Red, Dark Red 1317-39-1 Cuprous oxide 14915-37-8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 1317-39-1 Cuprous oxide			ype	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others \square
Dark Red 01716 TAKATA QUANTUM FB	00403 TAKATA QUANTUM FB			1317-39-1	Cuprous oxide		Japan 🗸
Brown N, Light Brown L, Dark Brown L Upe 14915-37-8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 2027/12/17 Others			іуре			2023/12/12	Others \square
Brown L, Dark Brown L O1729 TAKATA QUANTUM FB(M) Light Brown, Dark Brown, Light Red, Dark Brown L, Dark Brown L, Dark Brown L O1709 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Red, Dark Red O1709 TAKATA QUANTUM FOCUS I COASTAL VESSEL Brown, Light Brown, Brown L, Dark Brown, Brown, Light Brown, Brown, Light Brown, Brown, Light Brown, Brown, Light Brown, Brown, Blue, Green, Brown L, Dark Brown, Brown L, Dark Brown, Brown, Brown, Light Brown, Brown, Brown, Brown, Brown, Blue, Green, Brown L, Brown Brown, Brown, Brown, Brown, Brown, Brown, Brown, Brown, Blue, Green, Brown Brown, Brown	01716 TAKATA QUANTUM FB		Self polishing hydrolysis	1317-39-1	Cuprous oxide		Japan 🗹
L 01729 TAKATA QUANTUM FB(M) Light Brown, Dark Brown Dark Brown Light Red, Dark Red 01427 TAKATA QUANTUM FB(R) Light Brown N, Dark Brown L, Light Brown L, Dark Brown, Light Red, Dark Red 01709 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Red, Dark Red 0146 TAKATA QUANTUM FOCUS I Stype Light Brown, Red, Dark Brown Brown, Light Brown, Blue, Green, Brown Brown, Light Brown, Br			type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
Brown Stype 14915–37–8 Copper, bis(1,hydroxy-2(1H)–pyridinethionato O,S)— 14915–37–8 Copper, bis(1,hydroxy-2(1H)–pyridinethionato O,S)— 14915–37–8 Copper, bis(1,hydroxy-2(1H)–pyridinethionato O,S)— 1317–39–1 Cuprous oxide 2009/07/24 Japan Others Copper, bis(1,hydroxy-2(1H)–pyridinethionato O,S)— 1317–39–1 Cuprous oxide 2025/12/12 Others Copper, bis(1,hydroxy-2(1H)–pyridinethionato O,S)— 1317–39–1 Cuprous oxide 2027/12/17 Others Copper, bis(1,hydroxy-2(1H)–pyridinethionato O,S)— 1317–39–1 Cuprous oxide 2026/10/26 Others Copper, bis		L L					
01427 TAKATA QUANTUM FB(R) Light Brown, Light Red, Dark Red Light Brown N, Dark Brown N, Dark Brown N, Light Brown L, Dark Brown L, Dark Brown L, Dark Red 01709 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Red, Dark Red 01709 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Red, Dark Red 01709 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Red, Dark Red 01807 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Red, Dark Red 01908 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Red, Dark Red 01909 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Red, Dark Red 01909 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Red, Dark Red 01909 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Red, Dark Red 01909 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Brown, Blue, Green, Brown 01909 TAKATA QUANTUM FOCUS I Light Brown, Dark Brown, Light Brown, Blue, Green, Brown 01909 TAKATA QUANTUM FOCUS I Light Brown, Blue, Green, Brown	01729 TAKATA QUANTUM FB(M)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide		Japan 💆
Brown, Light Red, Dark Red U1717 TAKATA QUANTUM FB(R) Light Brown N, Dark Brown L, Dark Brown L, Dark Brown L, Dark Red U1709 TAKATA QUANTUM FOCUS I Light Brown, Light Red, Dark Red U1709 TAKATA QUANTUM FOCUS I Dark Red U1709 TAKATA QUANTUM FOCUS I Light Brown, Light Red, Dark Red U1709 TAKATA QUANTUM FOCUS I Dark Red U1709 TAKATA QUANTUM FOCUS I Light Brown, Light Red, Dark Brown, Light Red, Dark Red U1709 TAKATA QUANTUM FOCUS I Dark Red U1709 TAKATA QUANTUM FOCUS I Light Brown, Light Red, Dark Brown, Light Red, Dark Brown, Light Brown, Light Brown, Light Brown, Blue, Green, Brown U1709 TAKATA QUANTUM FOCUS I Light Brown, Light Brown, Light Brown, Brown, Light Brown, Blue, Green, Brown U1709 TAKATA QUANTUM FOCUS I Light Brown, Light Brown, Light Brown, Brown, Light Brown, Blue, Green, Brown U1709 TAKATA QUANTUM FOCUS I Light Brown, Light Brown, Light Brown, Brown, Blue, Green, Brown U1709 TAKATA QUANTUM FOCUS I Light Brown, Light Brown, Light Brown, Brown, Light Brown, Brown, Light Brown, Blue, Green, Brown U1709 TAKATA QUANTUM FOCUS I Light Brown, Light Brown, Light Brown, Brown, Blue, Green, Brown U1709 TAKATA QUANTUM FOCUS I Light Brown, Light Brown, Dark Light Brown, Light Brown, Dark Light Brown, Light Brown, Brown Light Brown, Light Brown, Dark		Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2028/04/17	Others \square
01717 TAKATA QUANTUM FB(R) Light Brown N, Light Brown L, Dark Brown, Light Red, Dark Red 01709 TAKATA QUANTUM FOCUS I O1709 TAKATA QUANTUM FOCUS I Dark Red Dark Red Brown, Light Red, Dark Brown, Light Red, Dark Brown, Light Red, Dark Red O0146 TAKATA QUANTUM for COASTAL VESSEL Brown, Light Brown, Blue, Green, Brown	01427 TAKATA QUANTUM FB(R)	Brown, Light Red,		1317-39-1	Cuprous oxide		Japan V Others
Brown N, Light Brown, L, Dark Brown L Usight Brown, Light Red, Dark Red Dark Red Dark Red Brown, Red, Dark Brown, Light Brown, Blue, Green, Brown Brown, Light Brown, Brown, Blue, Green, Brown Brown, Light Brown, Brown, Brown, Brown, Brown, Brown, Brown, Blue, Green, Brown Brown N, Light Brown, bype 1317-39-1 Cuprous oxide		Dark Red					
Brown L, Dark Brown L O1709 TAKATA QUANTUM FOCUS I Dark Red Dark Red Dark Red, Dark Brown, Light Brown, Light Brown, COASTAL VESSEL Brown, Light Brown, Brown, Light Brown, Blue, Green, Brown Brown L, Dark Brown Light Brown, Dark Brown, Light Red, Dark Brown, Light Brown, Blue, Green, Brown Self polishing hydrolysis type 1317–39–1 Cuprous oxide 14915–37–8 Copper, bis(1,hydroxy-2(1H)–pyridinethionato O,S)– Others Others	01717 TAKATA QUANTUM FB(R)			1317-39-1	Cuprous oxide		Japan 🗹
Brown, Light Red, Dark Red O0146 TAKATA QUANTUM for COASTAL VESSEL Brown, Light Brown, Blue, Green, Brown Brown Red, Dark Brown, Light Brown, Blue, Green, Brown Brown Red, Dark Brown, Blue, Green, Brown Self polishing hydrolysis type 14915–37–8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- Copper, bis(1,hydroxy-2(1H)			type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/12/17	Otners \square
Brown, Light Red, Dark Red O0146 TAKATA QUANTUM for COASTAL VESSEL Brown, Light Brown, Blue, Green, Brown Brown Red, Dark Brown, Light Brown, Blue, Green, Brown Brown Red, Dark Brown, Light Brown, Blue, Green, Brown Self polishing hydrolysis type 1317–33–1 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- Others Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- Copper		L		T			
Dark Red Dark Red, Dark Brown, Light Brown, Blue, Green, Brown Dark Red Dark Red Dark Self polishing hydrolysis type 1317–39–1 Cuprous oxide 14915–37–8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- Dark Red Dark Red Dark Self polishing hydrolysis type 1317–39–1 Cuprous oxide 14915–37–8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- Dark Red Dark Red Dark Self polishing hydrolysis type 14915–37–8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- Dark Red Dark Red Dark Red Dark Self polishing hydrolysis type 14915–37–8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- Dark Red Dar	01709 TAKATA QUANTUM FOCUS I	•		1317-39-1	Cuprous oxide		Japan 🗸
COASTAL VESSEL Brown, Light Brown, Blue, Green, Brown			іуре	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \Box
Blue, Green, Brown		, ,	Self polishing hydrolysis	1317-39-1	Cuprous oxide		Japan 🗹
	COASTAL VESSEL		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2026/10/26	Others \square
S, Dark Brown S							
Tree in the trial control brown, bank brown, but brown,			Self polishing hydrolysis	1317-39-1	Cuprous oxide		Japan 💆
COASTAL VESSEL V Red, Black, Brown S, type Dark Brown S 14915–37–8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 2026/10/26 Others	COASTAL VESSEL V		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others \square

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system.

*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	of: Registration Expiry	Manufactured in
00145 TAKATA QUANTUM for FISHING VESSEL	Brown, Red, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/03/18 2027/12/17	Japan ✓ Others
01855 TAKATA QUANTUM G1000	Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2024/06/21 2027/06/21	Japan V Others
01856 TAKATA QUANTUM G2000	Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2024/06/21 2027/06/21	Japan V Others
01857 TAKATA QUANTUM G3000	Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2024/06/21 2027/06/21	Japan V Others
01815 TAKATA QUANTUM GX-2200N	Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2022/04/18 2028/02/21	Japan V Others
00385 TAKATA QUANTUM LLL	Light Brown, Dark Brown, Brown, Dar	Self polishing hydrolysis k type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/12/22 2025/12/12	Japan 💆 Others 🗆
01315 TAKATA QUANTUM LLL FB	Light Brown, Dark Brown, Light Red, Dark Red, Brown, Light	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/12/15 2025/12/12	Japan V Others
01818 TAKATA QUANTUM MX-2145N	Light Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2022/04/18 2027/12/17	Japan 🗹 Others
00143 TAKATA QUANTUM ND	Light Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/03/18 2027/12/17	Japan 🗹 Others
01819 TAKATA QUANTUM ND	Brown G	Self polishing hydrolysis type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2022/04/18 2027/12/17	Japan V Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

*Product name case is typed as on the application form.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
00402 TAKATA QUANTUM PLUS	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22	Japan 🗹
	Brown, Blue, Red, Light Red, Dark Red	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others \square
01426 TAKATA QUANTUM PLUS(R)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2009/07/24	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
01862 TAKATA QUANTUM PLUS(R)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/10/18	Japan 💆
ADVANCE	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/10/18	Others \square
01705 TAKATA QUANTUM R5000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2018/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/06/21	Others \square
01706 TAKATA QUANTUM R8000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2018/10/26 2027/06/21	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-		Others \square
00400 TAKATA QUANTUM ULTRA	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22 2025/12/12	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2023/12/12	Others \square
01669 TAKATA QUANTUM X-mile 000	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/06/16 2026/06/15	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
01670 TAKATA QUANTUM X-mile 000	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/06/16 2026/06/15	Japan 🗹
FB 		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		Others \square
01491 TAKATA QUANTUM X-mile 001	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03 2025/12/12	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		Others \square
01492 TAKATA QUANTUM X-mile 002	Brick, Maroon, Blue	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03 2025/12/12	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2023/12/12	Others \square
01493 TAKATA QUANTUM X-mile 003	Brick, Maroon, Brick	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03 2026/04/20	Japan 🗹
	R. Maroon R	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2020/04/20	
01494 TAKATA QUANTUM X-mile 005	Brick, Maroon, Brick	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03 2026/10/26	Japan 🗹
	S, Maroon S	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-		Others \Box
01495 TAKATA QUANTUM X-mile 006	Brick, Maroon, Blue,	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03 2027/12/17	Japan ⊻ Others □
	Brick S, Maroon S	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/12/11	Others \Box

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

^{*}Product name case is typed as on the application form.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system.

*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01496 TAKATA QUANTUM X-mile 007	Brick, Maroon, Brick	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03	Japan 🗹
	S, Maroon S	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others \square
01708 TAKATA QUANTUM X-mile EV	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2018/12/07	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/12/17	Others
01666 TAKATA QUANTUM X-mile FB	Brick, Maroon, Brick	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/06/16	Japan 🗹
	R, Maroon R	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/06/21	Others \square
01806 TAKATA QUANTUM X-mile MX-	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2021/12/03	Japan 🗹
2046N		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2027/06/21	Others \square
01665 TAKATA QUANTUM X-mile ND	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/06/16	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others \square
01714 X-mile EV	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/02/08	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01715 X-mile EV FB	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/02/08	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01630 X-mile Premium 101	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2016/04/22	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others \square
01631 X-mile Premium 102	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2016/04/22	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others \square
01633 X-mile Premium 105	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2016/04/22	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01634 X-mile Premium 106	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2016/04/22	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01635 X-mile Premium 107	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2016/04/22	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01636 X-mile Premium 108	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2016/04/22	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01707 X-mile Premium FB	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato	O,S)-	2018/10/26 2027/06/21	Japan ✓ Others
01804 X-mile Premium ND	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato	O,S)-	2021/12/03 2027/06/21	Japan ✓ Others
01805 X-mile Premium ND	Brick K, Maroon K	Self polishing hydrolysis type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	O,S)-	2021/12/03 2027/06/21	Japan V Others

*Continuation process must be taken every 3 years for each system.

*Registered Sytems Listed in alphabetical Order.

Name of Manufacturer: KOBE PAINTS, LTD.

Aza Hyakuchobu, Rokubuichi, Inami-cho Kako-gun, HYOGO

products registered as of 2025/08/22

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufac in	
01778 AGESHIO	White, Black, Blue,	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan	V
	Red		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/02/15	Others	
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01777 AQUA ACE 3000 PLUS	White, Black, Blue,	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan	✓
	Red		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/02/15	Others	
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01331 CLEAN A/F 1000	Brown, Red	Conventional type	1317-39-1	Cuprous oxide		2009/04/03	Japan	~
						2027/06/21	Others	
01503 KP ACE A/F ST 20	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		2011/10/14	Japan	~
	Black		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2028/04/17	Others	
01809 KP ACE A/F ST 7	Red Brown	Conventional type	1317-39-1	Cuprous oxide		2021/12/03	Japan	~
						2027/12/17	Others	
01332 NEW PLACOAT	Red, Blue, Brown	Conventional type	1317-39-1	Cuprous oxide		2009/04/03	Japan	~
						2027/06/21	Others	
01569 OCEAN PREMIER 1000	Light Red, Red, Blue	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethy	/I)−1H−	2013/08/22	Japan	~
				pyrrole-3-carbonitrile		2028/08/21	Others	
			13463-41-7	Zinc-2-pyridinethiol-1-oxide				
01780 OCEAN PREMIER 1000 PLUS	Purple N, Red N	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato C),S)-	2021/03/04	Japan	Y
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/02/15	Others	
01781 OCEAN PREMIER 1000 PLUS H	Light Red, Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan	~
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/02/15	Others	
01872 OCEAN PREMIER 1000 PLUS Z	Light Red, Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2025/04/18	Japan	✓
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2028/04/17	Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KOBE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufac in	
01873 OCEAN PREMIER 1000 PLUS Z	Brown, Red, Red R, Brown R	Self polishing type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2025/04/18 2028/04/17	Japan Others	
01779 OCEAN PREMIER 200 PLUS Light Red, Red	Light Red, Red	Self polishing type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2027/02/15	Japan Others	
01790 OCEAN PREMIER 3000	Light Brown, Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/08/20 2027/08/23	Japan Others	
01783 OCEAN PREMIER 3000 PLUS	Light Brown, Red	Self polishing type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2027/02/15	Japan Others	
01791 OCEAN PREMIER 3000 PLUS 1	Light Brown, Red	Self polishing type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/08/20 2027/08/23	Japan Others	
01792 OCEAN PREMIER 3000 PLUS 2	Light Brown, Red	Self polishing type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/08/20 2027/08/23	Japan Others	
01637 OCEAN PREMIER 800 Z	Purple, Light Red, Red, Light Red N, Red N, Blue, Light Red H, Red H, Blue H, Light Brown H, Light Brown R, Red I	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2028/08/21	Japan Others	
01649 OCEAN-DYNA NEO	Light Red N2, Red N	2 Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2016/12/07 2025/12/12	Japan Others	
01621 OCEAN-DYNA NEO 500 Z	Light Red, Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2015/08/21 2027/08/23	Japan Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

^{*}Product name case is typed as on the application form.

Name of Manufacturer: KOBE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	Registration Expiry	Manufactured in
01870 OCEAN-DYNA NEO CF	Light Red R, Red R	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/18	Japan 🗹
PREMIUM			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2028/04/17	Others
01647 OCEAN-DYNA NEO CF Z	Light Red, Red	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2016/08/26 2028/08/21	Japan 🗹 Others
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01601 OCEAN-DYNA NEO FLAT Z	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2015/02/20	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others \square
01808 OCEAN-DYNA NEO M1 PLUS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2021/12/03	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2027/12/17	Others \square
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01539 OCEAN-DYNA NEO SL	Light Brown, Brown,		Cuprous oxide	2012/12/10	Japan 🗹	
	Light Brown H, Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others \square
01871 OCEAN-DYNA NEO SL M	Light Brown, Brown	Brown, Brown Self polishing type	1317-39-1	Cuprous oxide	2025/04/18	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others \square
01599 OCEAN-DYNA NEO SL Z	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		Japan 🗹
	Light Brown H, Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others \Box
01650 OCEAN-DYNA NEO Z	Light Red N2, Red N2	Self polishing type	1317-39-1	Cuprous oxide	2016/12/07	Japan 🗹
01030 OCEAN-DINA NEO 2	Light Ned NZ, Ned NZ	. Seli polisiling type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	
01807 OCEAN-DYNA NEO Z PLUS	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/12/03	Japan ⊻
01007 OCEAN-DINANEO 21 E03	Light Neu, Neu	Sell polistillig type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01566 OCTAN DVNA NEO C	Light Dod Dod	Colf nalishing type	1017 00 1		2013/08/22	Japan 🗸
01566 OCEAN-DYNA NEO-S	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2013/08/22	Others
			14915-37-8 64359-81-5	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-4.5-Dichloro-2-n-octyl-4-isothiazolin-3-one		1
			3 1000 01 0	1,0 Didinoto E ii ootyi i lootiiuEoiii o olio		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KOBE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Date	es of:	Registration Expiry	Manufac in	
01869 OCEAN-DYNA NEO-S PREMIUM	Brown D	Self polishing type	1317-39-1 14915-37-8 64359-81-5 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2025/04/18 2028/04/17	Japan Others	
01602 OCEAN-DYNA NEO-S Z	Light Red, Red, Red N, Brown	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2015/02/20 2027/02/15	Japan Others	
01461 OYASHIO	Red	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2010/06/04 2028/04/17	Japan Others	
01459 SOKOPEN	Red, Blue	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-		2010/06/04 2028/04/17	Japan Others	
01490 SUPER A/F 1000L	Light Brown, Brown, Dark Brown, Light Brown H, Brown H	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-		2011/06/03 2026/06/15	Japan Others	
01337 SUPER A/F 200 R	Red, Light Red	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2009/04/03 2027/06/21	Japan Others	
01638 SUPER A/F 2000 A	Purple, Light Red, Red, Light Red N, Red N, Blue, Black (1st coat), Black (2nd coat), Light Red H, Red H, Blue H, Light Brown H, Light Brown R, Red R	Self polishing type	1317–39–1 14915–37–8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2016/04/22 2028/08/21	Japan Others	
01340 SUPER A/F 2000 S	Red, Light Red	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2009/04/03 2027/06/21	Japan Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KOBE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01793 SUPER A/F 2200	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/08/20	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others \square
01452 SUPER A/F 500 HS	Purple, Light Red,	Self polishing type	1317-39-1	Cuprous oxide	2010/08/06	Japan 🗹
	Red, Light Red N, Red N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others \square
01453 SUPER A/F 500 M HS	Light Red, Red, Light	Self polishing type	1317-39-1	Cuprous oxide	2010/08/06	Japan 🗹
	Red N, Red N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2026/10/26	Others \square
01439 SUPER A/F 660 HS	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide	2009/11/20	Japan 🗹
	Brown S, Light Brown S, Brown R, Light Brown R	ı	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2028/08/21	Others \square
01721 SUPER A/F 880 HS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2019/04/19	Japan 🛂
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2028/04/17	Others \square
01874 SUPER A/F 880 HS PLUS	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide	2025/04/18	Japan 🛂
	Light Brown A, Brown	l	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2028/04/17	Others \square
	7.		86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01823 SUPER A/F 950 L	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2022/08/19	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/08/21	Others \square
01810 SUPER A/F CF-10 L A	Light Red N, Red N	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/12/03	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2027/12/17	Others \square

Name of Manufacturer: NIPPON PAINT (COATINGS) PHILIPPINES, INC.

#4 Hologram St, Light Industry Science Park, Cabuyao, Laguna, Philippines

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

products registered as of 2025/08/22

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01839 BIOFLEX 800	RED BROWN (PH) D, GREEEN (PH) D	Controlled Depletion Polymer Type	1317-39-1 330-54-1	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2023/12/15 2027/12/17	Japan ☐ Others ✔
01840 ECOLOFLEX SPC200	LIGHT BROWN (PH) K, DARK BROWN (PH) K) Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato C),S)-	2023/12/15 2026/12/14	Japan United States of the Indiana. Indiana

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

2-1-2 Oyodo-kita, Kita-ku, Osaka-shi, OSAKA

products registered as of 2025/08/22

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	Registration Expiry	Manufac in	
01605 A-LF-Sea 100 HS	Brown R, Light Brown R, Blue R	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2015/04/17 2027/02/15	Japan Others	V
			13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01820 A-LF-Sea 100 HS	Oriental Blue, Carmine Red	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2022/04/18 2028/04/17	Japan Others	
01532 A-LF-Sea 150	Red Brown, Brown, Light Brown, Brown SK, Light Brown SK, Brown EK, Light	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2012/10/12 2028/08/21	Japan Others	
	Brown EK, Deep Red, Purple						
01533 A-LF-Sea 250	Red Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide	2012/10/12	Japan	
Light E SK, Li Brown	Light Brown, Brown SK, Light Brown SK, Brown EK, Light Brown EK		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/08/21	Others	V
01606 A-LF-Sea 300 HS	Blue R, Brown R, Light Brown R,	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2015/04/17 2028/08/21	Japan Others	
	Brown E, Light Brown E, Red IM, Maroon Z		13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01731 A-LF-Sea 300 HS	Oriental Blue, Carmine Red	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2019/12/17 2026/06/15	Japan Others	✓
01553 A-LF-Sea 400	Brown, Red Brown,	Self polishing type	1317-39-1	Cuprous oxide	2013/04/12	Japan	
	Light Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/10/18	Others	✓
01534 A-LF-Sea 600	Brown, Red Brown,	Self polishing type	1317-39-1	Cuprous oxide	2012/10/12 2027/06/21	Japan Others	V
! !	Light Brown, Blue, Brown E, Light Browr E, Brown EK, Light Brown EK	1	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/00/21	Others	•

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

^{*}Product name case is typed as on the application form.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01648 A-LF-Sea 600	Cocoa Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2016/10/14	Japan
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01797 A-LF-Sea 600 Premium	Brown 1, Brown 2,	Self polishing type	1317-39-1	Cuprous oxide	2021/10/15	Japan 🗹
	Brown 3, Light Brown 1, Light Brown 2, Light Brown 3, Dark Brown 1, Dark Brown 2, Dark Brown 3		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/12/14	Others
01852 A-LF-Sea 600 Premium L	Brown1, Dark Brown1	Self polishing type	1317-39-1	Cuprous oxide	2024/08/23	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01653 AQUATERRAS 1000	Brown, Light Brown, Blue	Biocide-free self polishing type			2016/12/07 2026/06/15	Japan ⊻ Others □
01837 AQUATERRAS 1000 PLUS	Brown, Light Brown	Biocide-free self polishing type	_	-	2023/06/16 2026/06/15	Japan ✓ Others
01654 AQUATERRAS 2000	Brown, Light Brown, Blue, Black	Biocide-free self polishing type			2016/12/07 2027/06/21	Japan ⊻ Others
01848 AQUATERRAS 3100	Brown, Light Brown	Biocide-free self polishing type	_	-	2024/02/16 2027/02/15	Japan ⊻ Others □
01655 AQUATERRAS 6000	Brown, Light Brown,	Biocide-free self			2016/12/07	Japan 🗹
	Blue, Black	polishing type			2027/10/18	Others \square
01656 AQUATERRAS 8000	Brown, Light Brown, Blue, Black	Biocide-free self polishing type			2016/12/07 2027/06/21	Japan 🗹
01466 BIOFLEX 800	Brown C, Dark Brown	Controlled depletion	1317-39-1	Cuprous oxide	2010/08/06	Japan 🗹
	C, Red Brown C, Red Brown D, Dark Brown	polymer type	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2028/08/21	Others 🗹
	D, Brown D					

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01568 BIOFLEX A/F	Red Oxide	Conventional type	1317-39-1	Cuprous oxide	2013/08/22 2027/02/15	Japan ✓ Others
00252 BIOFLEX TECHNO	Red Brown	Ablative type	1317-39-1 13463-41-7 330-54-1	Cuprous oxide Zinc-2-pyridinethiol-1-oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2004/03/18 2028/08/21	Japan ✓ Others
01676 DRAFT A/F Super	White	Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2017/08/25 2028/08/21	Japan 🗹 Others
01325 ECOLOFLEX SPC 100FWR	Red Brown, Dark Brown, Brown C, Light Brown C	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2008/11/27 2028/08/21	Japan 🗹 Others 🗹
01249 ECOLOFLEX SPC 150HyB	Brown C, Light Brown C, Brown B, Light Brown B, Brown SK, Light Brown SK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2008/01/30 2028/06/05	Japan V Others
01798 ECOLOFLEX SPC 600 HyB Premium	Brown 1, Brown 2, Brown 3, Light Brown 1, Light Brown 2, Light Brown 3, Dark Brown 1, Dark Brown 2, Dark Brown 3		1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2021/10/15 2026/12/14	Japan 💆 Others 🗆
01485 ECOLOFLEX SPC200	Light Brown K, Dark Brown K, Brown Z, Light Brown Z, Light Brown LF, Brown LF, Black Z, Dark Brown Z	Self polishing type	1317–39–1 14915–37–8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2011/03/24 2028/04/17	Japan ✓ Others ✓
01102 ECOLOFLEX SPC250 HyB	CherryV, PlumV, Cherry SK, Plum SK, Cherry EK, Plum EK, Blue M	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2006/03/10 2028/08/21	Japan V Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
00370 ECOLOFLEX SPC600	Dark Brown, Red	Self polishing type	1317-39-1	Cuprous oxide		2004/11/19	Japan 🗹
	Brown, Cherry V, Plum V, Blue, Blue V,		13463-41-7	Zinc-2-pyridinethiol-1-oxide		2028/08/21	Others \square
	Green						
01476 ECOLOFLEX SPC600	Cherry S, Red Brown	Self polishing type	1317-39-1	Cuprous oxide		2010/10/01	Japan 🗹
	S, Light Brown S		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S	S)-	2028/06/05	Others \square
	Cherry F, Plum F,	Self polishing type	1317-39-1	Cuprous oxide		2004/11/19	Japan 🗸
·	Red, Black, Green, Brown V, Black F		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S	S)-	2028/06/05	Others 🗹
01657 ECOLOFLEX SPC600 HyB	Cocoa Brown	Self polishing type	1317-39-1	Cuprous oxide		2017/02/24	Japan ⊻
01037 ECOLOFLEX 3FC000 Hyb	Cocoa Brown	Sell polistillig type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	2)_	2028/08/21	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	,		
		0.15		•		2024/08/23	Japan 🗹
01853 ECOLOFLEX SPC600 HyB Premium L	Brown1, Dark Brown1	Self polishing type	1317-39-1	Cuprous oxide		2024/08/23	Japan ⊻ Others □
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	5)-		. •
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
00243 ECOLOFLEX SPC700	Cherry V, Plum V	Self polishing type	1317-39-1	Cuprous oxide		2004/03/18	Japan 🗹
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		2028/08/21	Others \Box
00363 ECOLOSILK	Gray, White, Red,	Biocide-free silicone type	_	-		2004/10/26	Japan 🗹
	Black, Green, Signal Red, Blue					2026/02/16	Others \square
01681 ECOLOSILK AXEL	MARIGOLD	Biocide-free silicone type				2017/12/04	Japan 🗹
THE TEST POPULATION OF	WW II (100EB	Biooldo froo omoorio typo				2027/06/21	Others 🔽
01845 FASTAR 600 H	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide		2023/12/15	Japan 🗹
	Dark Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	S)-	2027/02/15	Others 🗹
01846 FASTAR 600 M	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide		2023/12/15	Japan 🗹
	Dark Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S	S)-	2027/02/15	Others 🗹
01737 FASTAR I	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide		2020/02/21	Japan 🗹
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S	S)-	2027/02/15	Others 🗹

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

^{*}Product name case is typed as on the application form.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	: Registration Expiry	Manufactur in	
01738 FASTAR II	Red Brown, Dark Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2020/02/21 2027/06/21	Japan Others	
01739 FASTAR XI	Red Brown, Dark Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2020/02/21 2027/02/15	Japan Others	
01740 FASTAR XII	Red Brown, Dark Brown, Red Brown N, Dark Brown N	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2020/02/21 2027/06/21	Japan Others	
01718 FUNEBIJIN MAX	Red, Blue	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2019/04/19 2027/12/17	Japan Others	
01609 HISOL 100	Brown F, Blue F, Light Brown R	Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2015/04/17 2027/02/15	Japan Others	
01610 HISOL 300	Brown F, Light Brown R, Brown R	Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2015/04/17 2027/02/15	Japan Others	
01800 HISOL FISHING BOAT	Neo Black, Neo Red, Neo Blue	Self polishing type	1111-67-7 64359-81-5	Cuprous Thiocyanate 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2022/04/18 2028/02/21	Japan Others	
01326 JYUNPU	Red, Black, Blue	Self polishing type	1317-39-1 330-54-1	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2008/11/27 2026/06/15	Japan Others	
01608 LF-Sea 100 HS	Brown R, Light Brown R, Blue R, Brown E, Light Brown E	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2015/04/17 2027/02/15	Japan Others	
01250 LF-Sea 150 HyB	Brown, light Brown, Brown K, Light Brown K, Brown SK, Light Brown SK, B Brown SK, B light Brown SK, B Brown, B Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/01/30 2027/08/23	Japan Others	_

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01228 LF-Sea 250 HyB	Cherry, Plum, Cherry	Self polishing type	1317-39-1	Cuprous oxide	2007/07/26	Japan 🗸
	SK, Plum SK		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹
01607 LF-Sea 300 HS	Brown R, Light Brown R, Blue R	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile	2015/04/17 2027/02/15	Japan <u>V</u> Others
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01244 LF-Sea 400 HyB	Cherry, Plum, Brown	, Self polishing type	1317-39-1	Cuprous oxide	2007/12/10	Japan 🔽
	Light Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/10/18	Others 🗹
01226 LF-Sea 600 HyB	Cherry, Plum, Cherry	Self polishing type	1317-39-1	Cuprous oxide	2007/07/26	Japan 💆
	D, Plum D, Blue D, Red, Blue, Cherry G,		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others 🗹
	Plum G, Cherry J, Plum J					
01803 MARIART X NEO	Black, Gray, White	Self polishing type	1111-67-7	Cuprous Thiocyanate	2021/12/03	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2027/10/18	Others \square
01802 MASSIVE NEO	Red, Black, White,	Self polishing type	1111-67-7	Cuprous Thiocyanate	2021/12/03	Japan 🗹
	Gray		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2028/04/17	Others \square
00246 NIPPE STRONG 7000	Cherry	Self polishing type	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
			13463-41-7	Zinc-2-pyridinethiol-1-oxide	2027/06/21	Others \square
01854 OUTFITTING A/F Premium	Brown	Self polishing type	1317-39-1	Cuprous oxide	2024/08/23	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others \square
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01677 SEACHEST GUARD	Red	Self polishing type	1317-39-1	Cuprous oxide	2017/08/25	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others \square
01642 SILYL A/F PAINT FOR SHIP'S BOOTTOP	Black	Self polishing type	1317-39-1	Cuprous oxide	2016/06/17	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square
01641 SILYL A/F PAINT FOR SHIP'S	Red	Self polishing type	1317-39-1	Cuprous oxide		Japan 🗹
BOTTOM			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others \square

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

^{*}Product name case is typed as on the application form.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufac in	
01014 UNAGI TORYO ICHIBAN	Blue, Red, Retro Red	Self polishing type	1317-39-1	Cuprous oxide		2005/06/30	Japan	V
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		2027/10/18	Others	
01799 UNAGI TORYO ICHIBAN	Neo Black	Self polishing type	1111-67-7	Cuprous Thiocyanate		2021/12/03	Japan	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/10/18	Others	
01801 UNAGI TORYO ICHIBAN AZAYAKA NEO	Blue, Red, White	Self polishing type	1111-67-7	Cuprous Thiocyanate		2021/12/03 2027/10/18	Japan	<u> </u>
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			Others	
01758 UNAGI TORYO ICHIBAN AZAYAKA RAINBOW	G-1, B-1, N-1, Y-1, Y-2, P-1, P-2, P-3, V-1, W-1		122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-pyrrole-3-carbonitrile	-1H-	2021/03/04 2028/04/17	Japan Others	✓
			13463-41-7	Zinc-2-pyridinethiol-1-oxide				
01555 UNAGI TORYO ICHIBAN AZAYAKA SUPER	Black, Red, Blue, White, Beetle Black, Venus White, Beetle	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-pyrrole-3-carbonitrile	-1H-	2013/06/18 2027/12/17	Japan Others	✓
			13463-41-7	Zinc-2-pyridinethiol-1-oxide	*(Jnder continuatio	n application	on.
	Gray, K-line Gray, Light Green							
01570 UNAGI TORYO ICHIBAN LF-Sea	Blue, Red	Self polishing type	1317-39-1	Cuprous oxide		2013/10/11	Japan	~
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	S)-	2028/04/17	Others	

Name of Manufacturer: PPG PMC JAPAN CO., LTD.

8F, Shintetsu Bldg., 1-1-1 Daikaidori, Hyogo-ku, Kobe-shi, HYOGO

22 products registered as of 2025/08/22

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufac in	
00083 Crown Color Sentei Toryou YS Musuzu	Red, Red Brown	Brown Ablative type	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2004/03/18	Japan	✓
			1317-39-1	Cuprous oxide		2027/12/17	Others	
00081 Crown Super 243	Red, Black	Self polishing type	1317-39-1	Cuprous oxide		2004/03/18 2026/06/15	Japan	~
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea			Others	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one				
01868 PPG Nexeon 810	Brown Redbrown	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl) pyrrole-3-carbonitrile	-1H-	2025/02/21 2028/02/21	Japan Others	✓
			13463-41-7	Zinc-2-pyridinethiol-1-oxide				
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01114 Sigma Alphagen 650	Redbrown, Brown	Self polishing type	1317-39-1	Cuprous oxide		2006/04/25	Japan	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2025/12/12	Others	✓	
01025 Sigma Boatmax	Blue	Self polishing type	1317-39-1	Cuprous oxide		2005/09/01 2026/06/15	Japan	V
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea			Others	
01026 Sigma Boatmax	Red, Black	Self polishing type	1317-39-1	Cuprous oxide	2005/09/01 2026/06/15	Japan	✓	
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2026/06/15	Others	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one				
01727 Sigma EcoFleet 270	Brown, Red Brown	Self polishing type	1317-39-1	Cuprous oxide		2019/08/09 2028/06/05	Japan Others	✓
01513 Sigma EcoFleet 290S	Brown, Red Brown	wn Self-polishing type	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2011/12/07	Japan	
-			1317-39-1	Cuprous oxide		2026/10/26	Others	✓
00068 Sigma EcoFleet 530	Brown, Red Brown	Self polishing type	1317-39-1	Cuprous oxide		2004/06/21	Japan	
-			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/10/20	Others	✓
01257 Sigma KAISEN M	New Red, New Blue	e Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2008/04/03	Japan	~
-			971-66-4	Pyridine-triphenylborane	2025/12/12	Others		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: PPG PMC JAPAN CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Date	tes of:	Registration Expiry	Manufactured in
01558 Sigma Nexeon 710	Brown, Red Brown	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1lpyrrole-3-carbonitrile		2013/10/11 2028/06/05	Japan ☐ Others ✔
			13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01559 Sigma Nexeon 750	Brown, Red Brown, Light Grey	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-11 pyrrole-3-carbonitrile		2013/08/22 2028/06/05	Japan ☐ Others ✔
			13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01829 Sigma Sailadvance DX (II)	Brown, Red Brown	Self polishing type	1317-39-1	Cuprous oxide		2022/12/13	Japan
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2025/12/12	Others 🗹
01697 Sigma Sailadvance GX	Brown, Red Brown	Self polishing type	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2018/02/16	Japan
			1317-39-1	Cuprous oxide	2	2025/10/20	Others 🗹
01826 Sigma Sailadvance NX	Brown, Red Brown	Self polishing type	1317-39-1	Cuprous oxide		2022/10/21	Japan
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	. 2	2025/10/20	Others 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01663 Sigma Sailadvance RX	Brown, Red Brown	Self polishing type	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2017/02/24	Japan
			1317-39-1	Cuprous oxide	2	2025/10/20	Others 🗹
00076 Sigma TAIKAI	Red	Self polishing type	1317-39-1	Cuprous oxide		2004/06/21	Japan 🗹
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2	2027/12/17	Others \square
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01747 Sigmaglide 1290	Redbrown, Dark	Biocide-free silicone type				2020/07/29	Japan
	Blue, Black	,			2	2026/06/15	Others 🗹
01841 Sigmaglide 2390	Redbrown, blue,	Biocide-free silicone type				2023/10/27	Japan
	black, grey, white				2	2026/10/26	Others <a>V
00453 Sigmaglide 890	Clear, Redbrown,	Biocide-free silicone type	_	_		2005/02/17	Japan
	Blue, Black, Red	•			2	2025/10/20	Others 🗹
01510 Sigmaglide 990	Dark Red, Dark Blu	e Biocide-free silicone type	_	-		2011/12/07	Japan 🔲
					2	2026/10/26	Others <a>V

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: PPG PMC JAPAN CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01842 Sigmarine 530	Redbrown, Brown, Black, Blue, Spruce Green	Self polishing type	1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2023/10/27 2026/10/26	Japan ☐ Others ✔

Name of Manufacturer: PT. Nipsea Paint and Chemicals

JI Ancol Barat I/A5/C No. 12, Jakarta 14430, Indonesia

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

products registered as of 2025/08/22

Reg.No.	Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufacti in	ured
01850 B	IOFLEX 800	Red Brown (IDN) D,		1317-39-1	Cuprous oxide		2024/02/16	Japan	
	Dark Brown (IDN) D Brown (IDN) D	D, Polymer	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2027/02/15	Others	V	
01849 E	COLOFLEX SPC200	Light Brown (IDN) K		1317-39-1	Cuprous oxide		2024/02/16	Japan	
	Dark Brown (IDN) k	K	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato C	O,S)-	2027/02/15	Others	V	

Name of Manufacturer: WAKO CO.,LTD.

2-1-13 Honkawa-cho, Naka-ku, Hiroshima-shi, HIROSHIMA

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

products registered as of 2025/08/22

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01525 ECO AF-E	Red, Light Red,	Effluent Control	1317-39-1	Cuprous oxide		2012/08/03	Japan
	Brown Red	Antifouling Paint	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/06/21	Others 🗹
01639 ECO AF-K	Blue 1	Effluent Control Antifouling Paint	1317-39-1	Cuprous oxide			Japan 🔲
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2027/12/17	Others <a>V
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01524 ECO AF-S	Light Red, Brown Red	n Red Effluent Control Antifouling Paint	1317-39-1	Cuprous oxide			Japan
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/06/21	Others <a>V
01528 ECO AF-Z	Red	Effluent Control	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2012/06/01	Japan
		Antifouling Paint	971-66-4	Pyridine-triphenylborane		2027/06/21	Others 🗹
01529 ECO AF-Z	Blue	Effluent Control	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2012/06/01	Japan
		Antifouling Paint	971-66-4	Pyridine-triphenylborane		2027/06/21	Others 🗸